- PI 561371 origin: China. cultivar: Fendou No. 15 hao. locality: Fenyang Experiment Station in West, Shanxi Province. remarks: Maturity group 3. Cultivated. Seed.
- PI 561372 origin: China. cultivar: Fendou No. 33 hao. locality: Fenyang Experiment Station in West, Shanxi Province. remarks: Maturity group 3. Cultivated. Seed.
- PI 561373 origin: China. cultivar: Fendou No. 34 hao. locality: Fenyang Experiment Station in West, Shanxi Province. remarks: Maturity group 3. Cultivated. Seed.
- PI 561374 origin: China. cultivar: Ninzheng No. 1. remarks: Maturity group 2-3. Spring type. Cultivated. Seed.
- PI 561375 origin: China. cultivar: Qi huang No. 1. remarks: Maturity group 4. Summer type. Cultivated. Seed.
- PI 561376 origin: China. cultivar: Xu dou No. 1. remarks: Maturity group 4. Summer type. Cultivated. Seed.
- PI 561377 origin: Japan. cultivar: Chohakuzan. locality: Azuma Natto factory, Japan. remarks: Maturity group 1. Chinese Natto variety. Seed screened for small seed after harvest. Cultivated. Seed.
- PI 561378 origin: China. cultivar: Guanyun da hei dun. remarks:
 Maturity group 3. Spring type. Cultivated. Seed.
- PI 561379 origin: China. cultivar: Sudoi No. 1. locality:
 Nanjing. remarks: Maturity group 3. Summer type.
 Cultivated. Seed.
- PI 561380 origin: China. cultivar: Qingyuan da qingdou. remarks: Summer type. Cultivated. Seed.
- PI 561381 origin: China. cultivar: Shangrao da qingsi. remarks: Summer type. Cultivated. Seed.
- PI 561382 origin: China. cultivar: Shangrao wan qingsi. remarks: Summer type. Cultivated. Seed.
- PI 561383 to 561393. Glycine max (L.) Merr. FABACEAE Soybean

Donated by: Provided by various institutions, Japan. remarks: Received through T.E. Carter, USDA-ARS, North Carolina State University, Box 7631, Raleigh, North Carolina 27695-7631. Received May 04, 1992.